
PH 3/2 TABLE



Design:
Poul Henningsen

Concept:
The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of mouth-blown opal three-layer glass, which is glossy on top and sandblasted matt on the underside, giving a soft and diffuse light distribution.

Finish:
Black chrome plated or high lustre chrome plated.
White opal glass.

Material:
Shades: Mouth-blown white opal glass. Top plate:
Black chrome plated or high lustre chrome plated,

Weight:
Min: 2.7 kg Max: 3.0 kg

Class:
Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes:
The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louis Poulsen.com we update a list of recommendable light sources.

spun brass. Base: Black chrome plated or high lustre chrome plated, brass. Stem: Black chrome plated or high lustre chrome plated, brass.

Mounting:

Cable type: Plastic cord with plug. Cable length: 2.1m. Light control: In-line switch on cord.

Results (2)



LIGHT SOURCE	FINISH	CABLE TYPE	ORDER-NO.	
1X40WE14	BLACK CHROME PLATED	BLK PL	5744610861	>
1X40WE14	HIGH LUSTRE CHROME PLATED	BLK PL	5744162801	>

SPAREPART

PRODUCT NAME:**ORDERING NUMBER:**

PH 3/2 TABLE/WALL, TOP SHADE, GLASS

5741481585

PH 3/2, MIDDLE SHADE, GLASS

5741481598

PH 3/2, LOWER SHADE, GLASS

5741481608