


PH 4½ - 3½ GLASS FLOOR



MURATAJYUKI INC.

Design:

Poul Henningsen

Concept:

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of mouth-blown opal three-layer glass, which is glossy on top and sandblasted matt on the underside, giving a soft and diffuse light distribution.

Finish:

High lustre chrome plated. White opal glass.

Material:

Shades: Mouth-blown white opal glass. Anti glare ring: Purple, spun aluminium. Top plate: High lustre chrome plated, spun brass. Base: High

Weight:

Min: 14.1 kg Max: 16.2 kg

Class:

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes:

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

lustre chrome plated, spun brass. Stem: High
lustre chrome plated, steel.

Mounting:

Cable type: Plastic cord with plug. Cable length:
3.3m. Light control: On/off switch on cord.

Results (1)



LIGHT SOURCE	FINISH	SWITCH/PLUG	ORDER-NO.	
1X150WE27	HIGH LUSTRE CHROME PLATED	WON/OFF SWTCH	5744161514	>

SPAREPART

PRODUCT NAME:**ORDERING NUMBER:**

PH 4½-3½ GLASS TABLE/FLOOR, MIDDLE SHADE

5744610612

PH 4½-3½ GLASS TABLE/FLOOR, LOWER SHADE

5744610625

PH 4½-3½ GLASS TABLE/FLOOR, TOPSHADE ACC

5744610722